


Meadow Feeds

Swine Product Range



Product	Page
Complete Feeds	
V 12200 Piglet StartRite	1
V 12192 Expresswean	2
V 12198 Supreme Grower	3
V 17109 Supreme Developer	4
V 12197 Supreme Rearer	5
V 12202 Milkyway	6
V 12201 Sowcare	7
V 23516 Sow and Boar	8
V 23515 Pig Grower	9
V 19938 Signature Piglet Creep	10
Maize Free Feeds	
V 12196 Maize Free Rapidwean	11
V 12195 Maize Free Supreme Grower	13
V 12193 Maize Free Supreme Rearer	15
V 12194 Maize Free Milkyway	17
V 12203 Maize Free Sowcare	19



PIGLET STARTRITE

Registration No: V 12200 Act 36 of 1947

Class: Pre-wean diet / Creep diet

Form: Pellets / Meal / Crumble

Description

Piglet StartRite is a specially formulated complete creep feed designed to support piglets pre- and post-weaning. The correct diet during this period will successfully transition a piglet from a liquid milk diet onto a solid cereal-based diet whilst maximising piglet growth and health.

Benefits

- Very high in nutrients to maximise the growth potential of piglets.
- Added milk replacers, sweeteners and feed additives allow for a successful transition period at weaning and a consistent growth performance.
- Formulated with highly digestible raw materials.
- Promotes healthy gut development, whilst limiting digestive disturbances.
- Very palatable to ensure optimal feed intake.

Feeding Recommendations

Feed from 10 days of age to one-week post weaning. Feed ad libitum in small amounts as often as possible.

Tip: To encourage feed and water intake, it is recommended for the first three days post-weaning to mix some feed with water in supplemental feeders to make a 'porridge'.

Expected Intakes

0–5 weeks = 2 kg per pig

Composition

Nutrient	Quantity	Unit	Min/Max
Protein	190	g/kg	Min
Fat	25	g/kg	Min
Fibre	40	g/kg	Max
Moisture	120	g/kg	Max
Calcium	8	g/kg	Min
Calcium	10	g/kg	Max
Phosphorus	6.5	g/kg	Min
Total lysine	12	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION Randfontein - +27 11 693 5120
 Standerton - +27 17 200 0272
 Delmas - +27 13 665 5011
KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403

WESTERN CAPE Paarl - +27 21 807 8700
 Ladismith - +27 28 551 1950
EASTERN CAPE Gqeberha - +27 41 402 5000
AFRICA Zambia - +260 967 790 404



**Class:** Weaner diet**Form:** Pellets / Meal / Crumble**Description**

ExpressWean is a complete weaner feed which contains highly digestible sources of energy and protein to ensure that the pigs' growth rate is optimal during the period following weaning.

Benefits

- Very high in nutrients and digestible raw materials to unlock the genetic potential of the pigs during a period when pigs are exceptionally efficient at converting feed into meat.
- High-quality raw materials assist with the transition from the weaner phase to the grower phase.

Feeding Recommendations

ExpressWean should be fed after **Piglet StartRite**. Feed from 1 week post weaning to 10–12 weeks of age. Feed ad libitum, ensuring pigs always have free access to fresh feed.

Expected Intakes

5–12 weeks = 54 kg per pig

5–10 weeks = 32 kg per pig

Composition

Nutrient	Quantity	Unit	Min/Max
Protein	180	g/kg	Min
Fat	25	g/kg	Min
Fibre	50	g/kg	Max
Moisture	120	g/kg	Max
Calcium	7.5	g/kg	Min
Calcium	10	g/kg	Max
Phosphorus	6	g/kg	Min
Total lysine	11	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION **Randfontein** - +27 11 693 5120
 Standerton - +27 17 200 0272
 Delmas - +27 13 665 5011
KWA-ZULU NATAL **Pietermaritzburg** - +27 33 387 2403

WESTERN CAPE **Paarl** - +27 21 807 8700
 Ladismith - +27 28 551 1950
EASTERN CAPE **Gqeberha** - +27 41 402 5000
AFRICA **Zambia** - +260 967 790 404





Class: Pig Growth Feed

Form: Pellets / Meal / Crumble

Description

Supreme Grower is a complete grower feed which has been formulated to maximise growth in the early stages of the grower period. It is a high-density feed capable of laying down lean body tissue rapidly and efficiently. **Supreme Grower** is used for producers with pigs of a high genetic potential for lean meat deposition.

Benefits

- A well-formulated ratio of energy, protein, fibre and fat to allow pigs to reach their genetic potential in growth rate and feed conversion.
- The use of high-quality raw materials allows pigs to convert feed efficiently for improved profits.

Feeding Recommendations

Supreme Grower should be fed after **ExpressWean**. The **Supreme Grower** can be used as part of a one- or two-phase feeding system. Feed ad libitum, ensuring pigs always have free access to fresh feed.

Expected Intakes

ONE-PHASE FEEDING

Feed **Supreme Grower** from 12 weeks of age to slaughter.

Feed intake 12–22 weeks = 154 kg per pig.

TWO-PHASE FEEDING

Feed **Supreme Grower** from 12–16 weeks, followed by **Supreme Rearer**.

Feed intake 12–16 weeks = 49 kg per pig.

Composition

Nutrient	Quantity	Unit	Min/Max
Protein	160	g/kg	Min
Fat	25	g/kg	Min
Fibre	80	g/kg	Max
Moisture	120	g/kg	Max
Calcium	6	g/kg	Min
Calcium	10	g/kg	Max
Phosphorus	5	g/kg	Min
Total lysine	8.5	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION Randfontein - +27 11 693 5120
 Standerton - +27 17 200 0272
 Delmas - +27 13 665 5011
KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403

WESTERN CAPE Paarl - +27 21 807 8700
 Ladismith - +27 28 551 1950
EASTERN CAPE Gqeberha - +27 41 402 5000
AFRICA Zambia - +260 967 790 404





SUPREME DEVELOPER

Registration No: V 17109 Act 36 of 1947

Class: Pig Growth Feed

Form: Pellets / Meal / Crumble

Description

Supreme Developer is a complete grower feed which has been designed as a single growth ration for producers wanting to feed only one diet during the entire grower period. **Supreme Developer** is used for producers with pigs of a high genetic potential for lean meat deposition.

Benefits

- A well-formulated ratio of energy, protein, fibre and fat to allow pigs to reach their genetic potential in growth rate and feed conversion.
- The use of high-quality raw materials allows pigs to convert feed efficiently for improved profits.
- Cost-effective method of feeding one feed throughout the grower period.

Feeding Recommendations

Supreme Developer should be fed after **ExpressWean**. Feed **Supreme Developer** from 12 weeks of age to slaughter. Feed ad libitum, ensuring pigs always have free access to fresh feed.

Expected Intakes

Feed intake 12–22 weeks = 154 kg per pig

Composition

Nutrient	Quantity	Unit	Min/Max
Protein	150	g/kg	Min
Fat	25	g/kg	Min
Fibre	80	g/kg	Max
Moisture	120	g/kg	Max
Calcium	6	g/kg	Min
Calcium	10	g/kg	Max
Phosphorus	5	g/kg	Min
Total lysine	8.5	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION **Randfontein** - +27 11 693 5120
 Standerton - +27 17 200 0272
 Delmas - +27 13 665 5011
KWA-ZULU NATAL **Pietermaritzburg** - +27 33 387 2403

WESTERN CAPE **Paarl** - +27 21 807 8700
 Ladismith - +27 28 551 1950
EASTERN CAPE **Gqeberha** - +27 41 402 5000
AFRICA **Zambia** - +260 967 790 404





Class: Pig Finisher Feed

Form: Pellets / Meal / Crumble

Description

Supreme Rearer is a complete finisher feed which has been formulated to maximise growth in the late stages of the grower period. It is a high-density feed capable of laying down lean body tissue rapidly and efficiently. **Supreme Rearer** is used for producers with pigs of a high genetic potential for lean meat deposition.

Benefits

- A well-formulated ratio of energy, protein, fibre and fat to allow pigs to reach their genetic potential in growth rate and feed conversion.
- The use of high-quality raw materials allows pigs to convert feed efficiently for improved profits.
- Optimal energy-to-protein ratio to meet the specific requirements of a finisher pig.

Feeding Recommendations

The **Supreme Rearer** can be used as part of a one- or two-phase feeding system. Feed ad libitum, ensuring pigs always have free access to fresh feed.

Expected Intakes

ONE-PHASE FEEDING

Feed **Supreme Rearer** from 12 weeks of age to slaughter.

Feed intake 12–22 weeks = 154 kg per pig

TWO-PHASE FEEDING

Feed **Supreme Grower** 12–16 weeks, followed by **Supreme Rearer** 17–22 weeks.

Feed intake 17–22 weeks = 105 kg per pig

Composition

Nutrient	Quantity	Unit	Min/Max
Protein	150	g/kg	Min
Fat	25	g/kg	Min
Fibre	80	g/kg	Max
Moisture	120	g/kg	Max
Calcium	6	g/kg	Min
Calcium	10	g/kg	Max
Phosphorus	5	g/kg	Min
Total lysine	7	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION **Randfontein** - +27 11 693 5120
 Standerton - +27 17 200 0272
 Delmas - +27 13 665 5011
KWA-ZULU NATAL **Pietermaritzburg** - +27 33 387 2403

WESTERN CAPE **Paarl** - +27 21 807 8700
 Ladismith - +27 28 551 1950
EASTERN CAPE **Gqeberha** - +27 41 402 5000
AFRICA **Zambia** - +260 967 790 404





Class: Lactating Sow Feed

Form: Pellets / Meal / Crumble

Description

Milkyway is a complete lactating sow feed which has been formulated to address the specific needs of the lactating sow in order to maximise milk production and subsequent weaning weight.

Benefits

- Supports high-quality colostrum and milk production from the sow for an improved lactation.
- Promotes the healthy growth of piglets for heavier weaning weights.
- Optimal nutrients to support the maintenance of sow body condition during lactation.
- Promotes a higher conception rate after weaning.

Feeding Recommendations

LACTATING SOW

1. Feed 2.5 kg on the first day of farrowing (preferably split into 3 feeds per day, e.g. morning 1 kg, lunch 0.5 kg and supper 1 kg).
2. Increase by 0.5 kg per day until the sow reaches her maximum feed intake.

Tip: Adjust feeding amount according to sow appetite. Peak lactation normally occurs around day 21 after farrowing, with an average maximum feed intake at this stage of about 9 kg per day.

WEANING TO SERVICE

1. Feed ad libitum from weaning to service, thereafter change to **Sowcare**.

Composition

Nutrient	Quantity	Unit	Min/Max
Protein	150	g/kg	Min
Fat	25	g/kg	Min
Fibre	80	g/kg	Max
Moisture	120	g/kg	Max
Calcium	8	g/kg	Min
Calcium	12	g/kg	Max
Phosphorus	6	g/kg	Min
Total lysine	7.5	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION Randfontein - +27 11 693 5120
 Standerton - +27 17 200 0272
 Delmas - +27 13 665 5011
KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403

WESTERN CAPE Paarl - +27 21 807 8700
 Ladismith - +27 28 551 1950
EASTERN CAPE Gqeberha - +27 41 402 5000
AFRICA Zambia - +260 967 790 404





Class: Dry Sow and Boar Feed

Form: Pellets / Meal / Crumble

Description

Sowcare is a complete dry sow and boar feed specially formulated to address the specific needs of the pregnant sow, pregnant gilt and the boar.

Benefits

- Well-balanced nutrients to ensure reproductive success.
- Supports the ideal sow body condition.
- Larger and heavier litters at birth.

Feeding Recommendations

A restricted feed programme should be followed.

DRY SOW AND GILTS

Feed directly after service, a restricted diet of 2.2 kg per day.

At four weeks prior to farrowing increase to 2.5 kg per day.

BOAR

Feed a restricted diet of 2.2 kg per day.

Tip: The recommended levels should be adjusted depending on the body condition of individual animals.

Composition

Nutrient	Quantity	Unit	Min/Max
Protein	120	g/kg	Min
Fat	25	g/kg	Min
Fibre	85	g/kg	Max
Moisture	120	g/kg	Max
Calcium	7.5	g/kg	Min
Calcium	12	g/kg	Max
Phosphorus	6	g/kg	Min
Total lysine	5	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION **Randfontein** - +27 11 693 5120
 Standerton - +27 17 200 0272
 Delmas - +27 13 665 5011
KWA-ZULU NATAL **Pietermaritzburg** - +27 33 387 2403

WESTERN CAPE **Paarl** - +27 21 807 8700
 Ladismith - +27 28 551 1950
EASTERN CAPE **Gqeberha** - +27 41 402 5000
AFRICA **Zambia** - +260 967 790 404





Class: Dry Sow and Boar Feed

Form: Pellets / Meal / Crumble

Description

Sow and Boar is a complete dry sow and boar feed specially formulated to address the specific needs of the pregnant sow, pregnant gilt and the boar.

Benefits

- Well-balanced nutrients to ensure reproductive success.
- Supports the ideal sow body condition.
- Larger and heavier litters at birth.

Feeding Recommendations

A restricted feed programme should be followed.

DRY SOW AND GILTS

Feed directly after service, a restricted diet of 2.2 kg per day.

At four weeks prior to farrowing increase to 2.5 kg per day.

BOAR

Feed a restricted diet of 2.2 kg per day.

Tip: The recommended levels should be adjusted depending on the body condition of individual animals.

Composition

Nutrient	Quantity	Unit	Min/Max
Protein	120	g/kg	Min
Fat	25	g/kg	Min
Fibre	100	g/kg	Max
Moisture	120	g/kg	Max
Calcium	7.5	g/kg	Min
Calcium	12	g/kg	Max
Phosphorus	6	g/kg	Min
Total lysine	5	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION **Randfontein** - +27 11 693 5120
 Standerton - +27 17 200 0272
 Delmas - +27 13 665 5011
KWA-ZULU NATAL **Pietermaritzburg** - +27 33 387 2403

WESTERN CAPE **Paarl** - +27 21 807 8700
 Ladismith - +27 28 551 1950
EASTERN CAPE **Gqeberha** - +27 41 402 5000
AFRICA **Zambia** - +260 967 790 404





Class: Pig Growth Feed

Form: Pellets / Meal / Crumble

Description

Pig Grower is a complete grower feed which has been formulated to cost-effectively maximise growth throughout the entire grower period.

Benefits

- Specially formulated to meet the requirements of the growing pig from an early age until slaughter.
- Cost-effective.
- The use of high-quality raw materials allows pigs to convert feed efficiently for improved profits.

Feeding Recommendations

Pig Grower should be fed after the **ExpressWean**. Feed ad libitum from 12 weeks of age until slaughter, ensuring pigs always have free access to fresh feed.

Expected Intakes

Feed intake 12–22 weeks = 170 kg per pig

Composition

Nutrient	Quantity	Unit	Min/Max
Protein	150	g/kg	Min
Fat	25	g/kg	Min
Fibre	80	g/kg	Max
Moisture	120	g/kg	Max
Calcium	6	g/kg	Min
Calcium	10	g/kg	Max
Phosphorus	5	g/kg	Min
Total lysine	8.5	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION **Randfontein** - +27 11 693 5120
 Standerton - +27 17 200 0272
 Delmas - +27 13 665 5011
KWA-ZULU NATAL **Pietermaritzburg** - +27 33 387 2403

WESTERN CAPE **Paarl** - +27 21 807 8700
 Ladismith - +27 28 551 1950
EASTERN CAPE **Gqeberha** - +27 41 402 5000
AFRICA **Zambia** - +260 967 790 404





SIGNATURE PIGLET CREEP

Registration No: V 19938 Act 36 of 1947

Class: Pig Creep Feed

Form: Pellets / Meal / Crumble

Description

Signature Piglet Creep is a specially formulated complete creep feed designed to fully support piglets pre- and-post weaning. The feed is recommended for very high-performing piggeries. The correct diet during this period will successfully transition a piglet from a liquid milk diet onto a solid cereal-based diet whilst maximising piglet growth and health.

Benefits

- Very high in nutrients to maximise the growth potential of piglets.
- Added milk replacers, sweeteners and feed additives allow for a successful transition period at weaning and a consistent growth performance.
- Formulated with highly digestible raw materials.
- Promotes healthy gut development, whilst limiting digestive disturbances.
- Very palatable to ensure optimal feed intake.

Feeding Recommendations

Feed from 10 days of age to one week post-weaning. Feed ad libitum in small amounts as often as possible.

Tip: To encourage feed and water intake, it is recommended for the first three days post-weaning to mix some feed with water in supplemental feeders to make a 'porridge'.

Expected Intakes

0–5 weeks = 2 kg per pig

Composition

Nutrient	Quantity	Unit	Min/Max
Protein	190	g/kg	Min
Fat	25	g/kg	Min
Fibre	40	g/kg	Max
Moisture	120	g/kg	Max
Calcium	8	g/kg	Min
Calcium	10	g/kg	Max
Phosphorus	6.5	g/kg	Min
Total lysine	12	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION **Randfontein** - +27 11 693 5120
 Standerton - +27 17 200 0272
 Delmas - +27 13 665 5011
KWA-ZULU NATAL **Pietermaritzburg** - +27 33 387 2403

WESTERN CAPE **Paarl** - +27 21 807 8700
 Ladismith - +27 28 551 1950
EASTERN CAPE **Gqeberha** - +27 41 402 5000
AFRICA **Zambia** - +260 967 790 404





MAIZE FREE RAPIDWEAN

Registration No: V 12196 Act 36 of 1947

Class: Protein Concentrate for Pig Weaner Feed

Form: Meal

Description

Maize Free RapidWean is a protein concentrate, which once mixed, contains highly digestible sources of energy and protein to ensure that the pigs' growth rate is optimal during the period following weaning.

Benefits

- Very high in nutrients and digestible raw materials to unlock the genetic potential of the pigs during a period when pigs are exceptionally efficient at converting feed into meat.
- High-quality raw materials assist with the transition from the weaner phase to the grower phase.

Feeding Recommendations

Maize Free RapidWean should be fed after **Piglet StartRite**. Feed from 1 week post weaning to 10–12 weeks of age. Feed ad libitum, ensuring pigs always have free access to fresh feed.

Expected Intakes

5–12 weeks = 54 kg per pig

5–10 weeks = 32 kg per pig

Composition

Nutrient	Quantity	Unit	Min/Max
Protein	338	g/kg	Min
Fat	25	g/kg	Min
Fibre	50	g/kg	Max
Moisture	120	g/kg	Max
Calcium	19.5	g/kg	Min
Calcium	25	g/kg	Max
Phosphorus	12	g/kg	Min
Total lysine	23.75	g/kg	Min

Mixing Instructions and Final Composition follow on next page

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION Randfontein - +27 11 693 5120
 Standerton - +27 17 200 0272
 Delmas - +27 13 665 5011
KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403

WESTERN CAPE Paarl - +27 21 807 8700
 Ladismith - +27 28 551 1950
EASTERN CAPE Gqeberha - +27 41 402 5000
AFRICA Zambia - +260 967 790 404



Mixing Instructions

Mix 40% **Maize Free Rapidwean** with 60% maize meal (75 g/kg protein).

Final Composition

Nutrient	Quantity	Unit	Min/Max
Protein	180	g/kg	Min
Fat	25	g/kg	Min
Fibre	50	g/kg	Max
Moisture	120	g/kg	Max
Calcium	8	g/kg	Min
Calcium	10	g/kg	Max
Phosphorus	6	g/kg	Min
Total lysine	11	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION **Randfontein** - +27 11 693 5120
 Standerton - +27 17 200 0272
 Delmas - +27 13 665 5011
KWA-ZULU NATAL **Pietermaritzburg** - +27 33 387 2403

WESTERN CAPE **Paarl** - +27 21 807 8700
 Ladismith - +27 28 551 1950
EASTERN CAPE **Gqeberha** - +27 41 402 5000
AFRICA **Zambia** - +260 967 790 404





MAIZE FREE SUPREME GROWER

Registration No: V 12195 Act 36 of 1947

Class: Protein Concentrate for Pig Growth Feed

Form: Meal

Description

Maize Free Supreme Grower is a protein concentrate, which once mixed, has been formulated to maximise growth in the early stages of the grower period. It is a high-density feed capable of laying down lean body tissue rapidly and efficiently. **Maize Free Supreme Grower** is used for producers with pigs of a high genetic potential for lean meat deposition.

Benefits

- A well-formulated ratio of energy, protein, fibre and fat to allow pigs to reach their genetic potential in growth rate and feed conversion.
- The use of high-quality raw materials allows pigs to convert feed efficiently for improved profits.

Feeding Recommendations

Maize Free Supreme Grower should be fed after **ExpressWean**. The **Maize Free Supreme Grower** can be used as part of a one- or two-phase feeding system. Feed ad libitum, ensuring pigs always have free access to fresh feed.

Expected Intakes

ONE-PHASE FEEDING

Feed **Maize Free Supreme Grower** from 12 weeks of age to slaughter.

Feed intake 12–22 weeks = 154 kg per pig.

TWO-PHASE FEEDING

Feed **Maize free Supreme Grower** from 12–16 weeks, followed by **Supreme Rearer**.

Feed intake 12–16 weeks = 49 kg per pig.

Composition

Nutrient	Quantity	Unit	Min/Max
Protein	287.5	g/kg	Min
Fat	25	g/kg	Min
Fibre	80	g/kg	Max
Moisture	120	g/kg	Max
Calcium	19.5	g/kg	Min
Calcium	25	g/kg	Max
Phosphorus	10	g/kg	Min
Total lysine	18.8	g/kg	Min

Mixing Instructions and Final Composition follow on next page

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION
Randfontein - +27 11 693 5120
Standerton - +27 17 200 0272
Delmas - +27 13 665 5011
KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403

WESTERN CAPE Paarl - +27 21 807 8700
Ladismith - +27 28 551 1950
EASTERN CAPE Gqeberhah - +27 41 402 5000
AFRICA Zambia - +260 967 790 404



Mixing Instructions

Mix 40% **Maize Free Supreme Grower** with 60% maize meal (75 g/kg protein).

Final Composition

Nutrient	Quantity	Unit	Min/Max
Protein	160	g/kg	Min
Fat	25	g/kg	Min
Fibre	80	g/kg	Max
Moisture	120	g/kg	Max
Calcium	8	g/kg	Min
Calcium	10	g/kg	Max
Phosphorus	5	g/kg	Min
Total lysine	9	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION	Randfontein	- +27 11 693 5120	WESTERN CAPE	Paarl	- +27 21 807 8700
	Standerton	- +27 17 200 0272		Ladismith	- +27 28 551 1950
	Delmas	- +27 13 665 5011		Gqeberha	- +27 41 402 5000
KWA-ZULU NATAL	Pietermaritzburg	- +27 33 387 2403	AFRICA	Zambia	- +260 967 790 404





MAIZE FREE SUPREME REARER

Registration No: V 12193 Act 36 of 1947

Class: Protein Concentrate for Pig Finisher Feed

Form: Meal

Description

Maize Free Supreme Rearer is a protein concentrate, which once mixed, has been formulated to maximise growth in the late stages of the grower period. It is a high-density feed capable of laying down lean body tissue rapidly and efficiently. **Maize Free Supreme Grower** is used for producers with pigs of a high genetic potential for lean meat deposition.

Benefits

- A well-formulated ratio of energy, protein, fibre and fat to allow pigs to reach their genetic potential in growth rate and feed conversion.
- The use of high-quality raw materials allows pigs to convert feed efficiently for improved profits.
- Optimal energy-to-protein ratio to meet the specific requirements of a finisher pig.

Feeding Recommendations

The **Maize Free Supreme Rearer** can be used as part of a one- or two-phase feeding system. Feed ad libitum, ensuring pigs always have free access to fresh feed.

Expected Intakes

ONE-PHASE FEEDING

Feed **Maize Free Supreme Rearer** from 12 weeks of age to slaughter.

Feed intake 12–22 weeks = 154 kg per pig

TWO-PHASE FEEDING

Feed **Maize Free Supreme Grower** 12–16 weeks, followed by **Maize Free Supreme Rearer** 17–22 weeks.

Feed intake 17–22 weeks = 105 kg per pig

Composition

Nutrient	Quantity	Unit	Min/Max
Protein	260	g/kg	Min
Fat	25	g/kg	Min
Fibre	80	g/kg	Max
Moisture	120	g/kg	Max
Calcium	19.5	g/kg	Min
Calcium	25	g/kg	Max
Phosphorus	10	g/kg	Min
Total lysine	17.1	g/kg	Min

Mixing Instructions and Final Composition follow on next page

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION Randfontein - +27 11 693 5120
Standerton - +27 17 200 0272
Delmas - +27 13 665 5011
KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403

WESTERN CAPE Paarl - +27 21 807 8700
Ladismith - +27 28 551 1950
EASTERN CAPE Gqeberha - +27 41 402 5000
AFRICA Zambia - +260 967 790 404



Mixing Instructions

Mix 40% **Maize Free Supreme Rearer** with 60% maize meal (75 g/kg protein).

Final Composition

Nutrient	Quantity	Unit	Min/Max
Protein	150	g/kg	Min
Fat	25	g/kg	Min
Fibre	80	g/kg	Max
Moisture	120	g/kg	Max
Calcium	8	g/kg	Min
Calcium	10	g/kg	Max
Phosphorus	5	g/kg	Min
Total lysine	8.5	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION **Randfontein** - +27 11 693 5120
 Standerton - +27 17 200 0272
 Delmas - +27 13 665 5011
KWA-ZULU NATAL **Pietermaritzburg** - +27 33 387 2403

WESTERN CAPE **Paarl** - +27 21 807 8700
 Ladismith - +27 28 551 1950
EASTERN CAPE **Gqeberha** - +27 41 402 5000
AFRICA **Zambia** - +260 967 790 404





MAIZE FREE MILKYWAY

Registration No: V 12194 Act 36 of 1947

Class: Protein Concentrate for Lactating Sows

Form: Meal

Description

Maize Free Milkyway is a protein concentrate, which once mixed, has been formulated to address the specific needs of the lactating sow in order to maximise milk production and subsequent weaning weight.

Benefits

- Supports high-quality colostrum and milk production from the sow for an improved lactation.
- Promotes the healthy growth of piglets for heavier weaning weights.
- Optimal nutrients to support the maintenance of sow body condition during lactation.
- Promotes a higher conception rate after weaning.

Feeding Recommendations

LACTATING SOW

1. Feed 2.5 kg on the first day of farrowing (preferably split into 3 feeds per day, e.g. morning 1 kg, lunch 0.5 kg and supper 1 kg)
2. Increase by 0.5 kg per day until the sow reaches her maximum feed intake.

Tip: Adjust feeding amount according to sow appetite. Peak lactation normally occurs around day 21 after farrowing, with an average maximum feed intake at this stage of about 9 kg per day.

WEANING TO SERVICE

1. Feed ad libitum from weaning to service, thereafter change to **Maize Free Sowcare**.

Composition

Nutrient	Quantity	Unit	Min/Max
Protein	265	g/kg	Min
Fat	25	g/kg	Min
Fibre	80	g/kg	Max
Moisture	120	g/kg	Max
Calcium	19.5	g/kg	Min
Calcium	28.5	g/kg	Max
Phosphorus	11.25	g/kg	Min
Total lysine	15.1	g/kg	Min

Mixing Instructions and Final Composition follow on next page

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION Randfontein - +27 11 693 5120
 Standerton - +27 17 200 0272
 Delmas - +27 13 665 5011
KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403

WESTERN CAPE Paarl - +27 21 807 8700
 Ladismith - +27 28 551 1950
EASTERN CAPE Gqeberha - +27 41 402 5000
AFRICA Zambia - +260 967 790 404



Mixing Instructions

Mix 40% **Maize Free Milkyway** with 60% maize meal (75 g/kg protein).

Final Composition

Nutrient	Quantity	Unit	Min/Max
Protein	150	g/kg	Min
Fat	25	g/kg	Min
Fibre	80	g/kg	Max
Moisture	120	g/kg	Max
Calcium	8	g/kg	Min
Calcium	12	g/kg	Max
Phosphorus	6	g/kg	Min
Total lysine	7.5	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION **Randfontein** - +27 11 693 5120
 Standerton - +27 17 200 0272
 Delmas - +27 13 665 5011
KWA-ZULU NATAL **Pietermaritzburg** - +27 33 387 2403

WESTERN CAPE **Paarl** - +27 21 807 8700
 Ladismith - +27 28 551 1950
EASTERN CAPE **Gqeberha** - +27 41 402 5000
AFRICA **Zambia** - +260 967 790 404





MAIZE FREE SOWCARE

Registration No: V 12203 Act 36 of 1947

Class: Protein Concentrate for Lactating Sows and Boars

Form: Meal

Description

Maize Free Sowcare is a dry sow and boar protein concentrate, which once mixed, is specially formulated to address the specific needs of the pregnant sow, pregnant gilt and the boar.

Benefits

- Well-balanced nutrients to ensure reproductive success.
- Supports the ideal sow body condition.
- Larger and heavier litters at birth.

Feeding Recommendations

A restricted feed programme should be followed.

DRY SOW AND GILTS

Feed directly after service, a restricted diet of 2.2 kg per day.

At four weeks prior to farrowing increase to 2.5 kg per day.

BOAR

Feed a restricted diet of 2.2 kg per day.

Tip: The recommended levels should be adjusted depending on the body condition of the individual animals.

Composition

Nutrient	Quantity	Unit	Min/Max
Protein	237.5	g/kg	Min
Fat	25	g/kg	Min
Fibre	85	g/kg	Max
Moisture	120	g/kg	Max
Calcium	19.5	g/kg	Min
Calcium	28.5	g/kg	Max
Phosphorus	11.25	g/kg	Min
Total lysine	13.8	g/kg	Min

Mixing Instructions and Final Composition follow on next page

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION Randfontein - +27 11 693 5120
 Standerton - +27 17 200 0272
 Delmas - +27 13 665 5011
KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403

WESTERN CAPE Paarl - +27 21 807 8700
 Ladismith - +27 28 551 1950
EASTERN CAPE Gqeberha - +27 41 402 5000
AFRICA Zambia - +260 967 790 404



Mixing Instructions

Mix 40% **Maize Free Sowcare** with 60% maize meal (75 g/kg protein).

Final Composition

Nutrient	Quantity	Unit	Min/Max
Protein	140	g/kg	Min
Fat	25	g/kg	Min
Fibre	85	g/kg	Max
Moisture	120	g/kg	Max
Calcium	8	g/kg	Min
Calcium	12	g/kg	Max
Phosphorus	6	g/kg	Min
Total lysine	7	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION	Randfontein	- +27 11 693 5120	WESTERN CAPE	Paarl	- +27 21 807 8700
	Standerton	- +27 17 200 0272		Ladismith	- +27 28 551 1950
	Delmas	- +27 13 665 5011		Gqeberha	- +27 41 402 5000
KWA-ZULU NATAL	Pietermaritzburg	- +27 33 387 2403	EASTERN CAPE	Zambia	- +260 967 790 404
			AFRICA		

