

Meadow Feeds Swine Maize Free Product Range









INDEX

| Product | | Page |
|------------|---------------------------|------|
| Maize Free | e Feeds | |
| V 12196 | Maize Free Rapidwean | 1 |
| V 12195 | Maize Free Supreme Grower | 3 |
| V 12193 | Maize Free Supreme Rearer | 5 |
| V 12194 | Maize Free Milkyway | 7 |
| V 12203 | Maize Free Sowcare | 9 |







Registration No: V 12196 Act 36 of 1947

Form: Meal

Class: Protein Concentrate for Pig Weaner Feed

Description

Maize Free RapidWean is a protein concentrate, which once mixed, contains highly digestible sources of energy and protein to ensure that the pigs' growth rate is optimal during the period following weaning.

Benefits

- Very high in nutrients and digestible raw materials to unlock the genetic potential of the pigs during a period when pigs are exceptionally efficient at converting feed into meat.
- High-quality raw materials assist with the transition from the weaner phase to the grower phase.

Feeding Recommendations

Maize Free RapidWean should be fed after Piglet StartRite. Feed from 1 week post weaning to 10–12 weeks of age. Feed ad libitum, ensuring pigs always have free access to fresh feed.

Expected Intakes

5-12 weeks = 54 kg per pig 5-10 weeks = 32 kg per pig

Composition

| Nutrient | Quantity | Unit | Min/Max |
|--------------|----------|------|---------|
| Protein | 338 | g/kg | Min |
| Fat | 25 | g/kg | Min |
| Fibre | 50 | g/kg | Max |
| Moisture | 120 | g/kg | Max |
| Calcium | 19.5 | g/kg | Min |
| Calcium | 25 | g/kg | Max |
| Phosphorus | 12 | g/kg | Min |
| Total lysine | 23.75 | g/kg | Min |

Mixing Instructions and Final Composition follow on next page

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION Randfontein

- +27 11 693 5120

- +27 17 200 0272 Standerton Delmas - +27 13 665 5011

KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403

WESTERN CAPE **EASTERN CAPE**

AFRICA

Ladismith

Gqeberha Zambia

- +27 21 807 8700 - +27 28 551 1950

- +27 41 402 5000 - +260 967 790 404



Mix 40% Maize Free Rapidwean with 60% maize meal (75 g/kg protein).

Final Composition

| Nutrient | Quantity | Unit | Min/Max |
|--------------|----------|------|---------|
| Protein | 180 | g/kg | Min |
| Fat | 25 | g/kg | Min |
| Fibre | 50 | g/kg | Max |
| Moisture | 120 | g/kg | Max |
| Calcium | 8 | g/kg | Min |
| Calcium | 10 | g/kg | Max |
| Phosphorus | 6 | g/kg | Min |
| Total lysine | 11 | g/kg | Min |

ndfontein - +27 11 693 5120

Standerton - +27 17 200 0272 **Delmas** - +27 13 665 5011

KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403

WESTERN CAPE

AFRICA

EASTERN CAPE

Ladismith Gqeberha Zambia

Paarl

- +27 21 807 8700 - +27 28 551 1950

- +27 41 402 5000 - +260 967 790 404





MAIZE FREE SUPREME GROWER

Registration No: V 12195 Act 36 of 1947

Form: Meal

Class: Protein Concentrate for Pig Growth Feed

Description

Maize Free Supreme Grower is a protein concentrate, which once mixed, has been formulated to maximise growth in the early stages of the grower period. It is a high-density feed capable of laying down lean body tissue rapidly and efficiently. **Maize Free Supreme Grower** is used for producers with pigs of a high genetic potential for lean meat deposition.

Benefits

- A well-formulated ratio of energy, protein, fibre and fat to allow pigs to reach their genetic potential in growth rate and feed conversion.
- The use of high-quality raw materials allows pigs to convert feed efficiently for improved profits.

Feeding Recommendations

Maize Free Supreme Grower should be fed after ExpressWean. The Maize Free Supreme Grower can be used as part of a one- or two-phase feeding system. Feed ad libitum, ensuring pigs always have free access to fresh feed.

Expected Intakes

ONE-PHASE FEEDING

Feed Maize Free Supreme Grower from 12 weeks of age to slaughter.

Feed intake 12–22 weeks = 154 kg per pig.

TWO-PHASE FEEDING

Feed Maize free Supreme Grower from 12–16 weeks, followed by Supreme Rearer.

Feed intake 12–16 weeks = 49 kg per pig.

Composition

| Nutrient | Quantity | Unit | Min/Max |
|--------------|----------|------|---------|
| Protein | 287.5 | g/kg | Min |
| Fat | 25 | g/kg | Min |
| Fibre | 80 | g/kg | Max |
| Moisture | 120 | g/kg | Max |
| Calcium | 19.5 | g/kg | Min |
| Calcium | 25 | g/kg | Max |
| Phosphorus | 10 | g/kg | Min |
| Total lysine | 18.8 | g/kg | Min |

Mixing Instructions and Final Composition follow on next page

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION Randfontein - +27 11 693 5120 WESTER

Standerton - +27 17 200 0272 Delmas - +27 13 665 5011

Delmas - +27 13 665 5011 KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403 WESTERN CAPE
EASTERN CAPE

AFRICA

Paarl Ladismith Gqeberhah

Zambia

- +27 21 807 8700 - +27 28 551 1950 - +27 41 402 5000



Mix 40% Maize Free Supreme Grower with 60% maize meal (75 g/kg protein).

Final Composition

| Nutrient | Quantity | Unit | Min/Max |
|--------------|----------|------|---------|
| Protein | 160 | g/kg | Min |
| Fat | 25 | g/kg | Min |
| Fibre | 80 | g/kg | Max |
| Moisture | 120 | g/kg | Max |
| Calcium | 8 | g/kg | Min |
| Calcium | 10 | g/kg | Max |
| Phosphorus | 5 | g/kg | Min |
| Total lysine | 9 | g/kg | Min |

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION Randfontein Standerton

Delmas

- +27 11 693 5120

- +27 17 200 0272

- +27 13 665 5011

KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403

WESTERN CAPE

AFRICA

EASTERN CAPE

Ladismith Gqeberha

Zambia

- +27 21 807 8700 - +27 28 551 1950

- +27 41 402 5000 - +260 967 790 404





MAIZE FREE SUPREME REARER

Registration No: V 12193 Act 36 of 1947

Form: Meal

Class: Protein Concentrate for Pig Finisher Feed

Description

Maize Free Supreme Rearer is a protein concentrate, which once mixed, has been formulated to maximise growth in the late stages of the grower period. It is a high-density feed capable of laying down lean body tissue rapidly and efficiently. Maize Free Supreme Grower is used for producers with pigs of a high genetic potential for lean meat deposition.

Benefits

- A well-formulated ratio of energy, protein, fibre and fat to allow pigs to reach their genetic potential in growth rate and feed conversion.
- The use of high-quality raw materials allows pigs to convert feed efficiently for improved profits.
- Optimal energy-to-protein ratio to meet the specific requirements of a finisher pig.

Feeding Recommendations

The Maize Free Supreme Rearer can be used as part of a one- or two-phase feeding system. Feed ad libitum, ensuring pigs always have free access to fresh feed.

Expected Intakes

ONE-PHASE FEEDING

Feed **Maize Free Supreme Rearer** from 12 weeks of age to slaughter.

Feed intake 12–22 weeks = 154 kg per pig

TWO-PHASE FEEDING

Feed Maize Free Supreme Grower 12–16 weeks, followed by Maize Free Supreme Rearer 17–22 weeks.

Feed intake 17–22 weeks = 105 kg per pig

Composition

| Nutrient | Quantity | Unit | Min/Max |
|--------------|----------|------|---------|
| Protein | 260 | g/kg | Min |
| Fat | 25 | g/kg | Min |
| Fibre | 80 | g/kg | Max |
| Moisture | 120 | g/kg | Max |
| Calcium | 19.5 | g/kg | Min |
| Calcium | 25 | g/kg | Max |
| Phosphorus | 10 | g/kg | Min |
| Total lysine | 17.1 | g/kg | Min |

Mixing Instructions and Final Composition follow on next page

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION Randfontein - +27 11 693 5120 WESTERN CAPE

> - +27 17 200 0272 Standerton Delmas - +27 13 665 5011

EASTERN CAPE KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403 **AFRICA**

Ladismith Gqeberha Zambia

- +27 21 807 8700 - +27 28 551 1950 - +27 41 402 5000



Mix 40% Maize Free Supreme Rearer with 60% maize meal (75 g/kg protein).

Final Composition

| Nutrient | Quantity | Unit | Min/Max |
|--------------|----------|------|---------|
| Protein | 150 | g/kg | Min |
| Fat | 25 | g/kg | Min |
| Fibre | 80 | g/kg | Max |
| Moisture | 120 | g/kg | Max |
| Calcium | 8 | g/kg | Min |
| Calcium | 10 | g/kg | Max |
| Phosphorus | 5 | g/kg | Min |
| Total lysine | 8.5 | g/kg | Min |

- +27 11 693 5120

Standerton - +27 17 200 0272

- +27 13 665 5011 Delmas KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403

EASTERN CAPE **AFRICA**

WESTERN CAPE

Zambia

Ladismith Gqeberha

- +27 21 807 8700 - +27 28 551 1950 - +27 41 402 5000



MAIZE FREE MILKYWA

Registration No: V 12194 Act 36 of 1947

Form: Meal



Class: Protein Concentrate for Lactating Sows

Description

Maize Free Milkyway is a protein concentrate, which once mixed, has been formulated to address the specific needs of the lactating sow in order to maximise milk production and subsequent weaning weight.

Benefits

- Supports high-quality colostrum and milk production from the sow for an improved lactation.
- Promotes the healthy growth of piglets for heavier weaning weights.
- Optimal nutrients to support the maintenance of sow body condition during lactation.
- · Promotes a higher conception rate after weaning.

Feeding Recommendations

LACTATING SOW

- 1. Feed 2.5 kg on the first day of farrowing (preferably split into 3 feeds per day, e.g. morning 1 kg, lunch 0.5 kg and supper 1 kg)
- 2. Increase by 0.5 kg per day until the sow reaches her maximum feed intake.

Tip: Adjust feeding amount according to sow appetite. Peak lactation normally occurs around day 21 after farrowing, with an average maximum feed intake at this stage of about 9 kg per day.

WEANING TO SERVICE

1. Feed ad libitum from weaning to service, thereafter change to Maize Free Sowcare.

Composition

| Nutrient | Quantity | Unit | Min/Max |
|--------------|----------|------|---------|
| Protein | 265 | g/kg | Min |
| Fat | 25 | g/kg | Min |
| Fibre | 80 | g/kg | Max |
| Moisture | 120 | g/kg | Max |
| Calcium | 19.5 | g/kg | Min |
| Calcium | 28.5 | g/kg | Max |
| Phosphorus | 11.25 | g/kg | Min |
| Total lysine | 15.1 | g/kg | Min |

Mixing Instructions and Final Composition follow on next page

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION Randfontein - +27 11 693 5120

> Standerton - +27 17 200 0272 - +27 13 665 5011 Delmas

EASTERN CAPE KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403 **AFRICA**

WESTERN CAPE

Paarl Ladismith Gqeberha

Zambia

- +27 21 807 8700 - +27 28 551 1950 - +27 41 402 5000



Registration No: V 12194 Act 36 of 1947

Mixing Instructions

Mix 40% Maize Free Milkyway with 60% maize meal (75 g/kg protein).

Final Composition

| Nutrient | Quantity | Unit | Min/Max |
|--------------|----------|------|---------|
| Protein | 150 | g/kg | Min |
| Fat | 25 | g/kg | Min |
| Fibre | 80 | g/kg | Max |
| Moisture | 120 | g/kg | Max |
| Calcium | 8 | g/kg | Min |
| Calcium | 12 | g/kg | Max |
| Phosphorus | 6 | g/kg | Min |
| Total lysine | 7.5 | g/kg | Min |

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION Randfontein

Standerton

KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403

Delmas

- +27 11 693 5120

- +27 17 200 0272

- +27 13 665 5011

EASTERN CAPE AFRICA

WESTERN CAPE

Paarl Ladismith Gqeberha

Zambia

- +27 21 807 8700 - +27 28 551 1950 - +27 41 402 5000







Form: Meal



Class: Protein Concentrate for Lactating Sows and Boars

Description

Maize Free Sowcare is a dry sow and boar protein concentrate, which once mixed, is specially formulated to address the specific needs of the pregnant sow, pregnant gilt and the boar.

Benefits

- Well-balanced nutrients to ensure reproductive success.
- · Supports the ideal sow body condition.
- · Larger and heavier litters at birth.

Feeding Recommendations

A restricted feed programme should be followed.

DRY SOW AND GILTS

Feed directly after service, a restricted diet of 2.2 kg per day. At four weeks prior to farrowing increase to 2.5 kg per day.

BOAR

Feed a restricted diet of 2.2 kg per day.

Tip: The recommended levels should be adjusted depending on the body condition of the individual animals.

Composition

| Nutrient | Quantity | Unit | Min/Max |
|--------------|----------|------|---------|
| Protein | 237.5 | g/kg | Min |
| Fat | 25 | g/kg | Min |
| Fibre | 85 | g/kg | Max |
| Moisture | 120 | g/kg | Max |
| Calcium | 19.5 | g/kg | Min |
| Calcium | 28.5 | g/kg | Max |
| Phosphorus | 11.25 | g/kg | Min |
| Total lysine | 13.8 | g/kg | Min |

Mixing Instructions and Final Composition follow on next page

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION Randfontein - +27 11 693 5120

> Standerton - +27 17 200 0272

Delmas - +27 13 665 5011 KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403 WESTERN CAPE

AFRICA

EASTERN CAPE

Zambia

Ladismith Gqeberha

- +27 21 807 8700 - +27 28 551 1950 - +27 41 402 5000



Mix 40% Maize Free Sowcare with 60% maize meal (75 g/kg protein).

Final Composition

| Nutrient | Quantity | Unit | Min/Max |
|--------------|----------|------|---------|
| Protein | 140 | g/kg | Min |
| Fat | 25 | g/kg | Min |
| Fibre | 85 | g/kg | Max |
| Moisture | 120 | g/kg | Max |
| Calcium | 8 | g/kg | Min |
| Calcium | 12 | g/kg | Max |
| Phosphorus | 6 | g/kg | Min |
| Total lysine | 7 | g/kg | Min |

CENTRAL REGION Randfontein

Standerton

Delmas

- +27 11 693 5120

- +27 17 200 0272

- +27 13 665 5011 KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403 **EASTERN CAPE** AFRICA

WESTERN CAPE

Paarl

Zambia

Ladismith Gqeberha

- +27 28 551 1950 - +27 41 402 5000 - +260 967 790 404

- +27 21 807 8700

