



Class: Complete Laying Feed

Form: Mash

Description

Mesolay 102 is designed to be fed after **Mesolay 96** following peak production. It is formulated using grains and cereals.

Benefits

Formulated as part of a feeding programme developed to optimise layer performance during the different phases of production according to the hen's feed intake.

Feeding Recommendations

Mesolay 102 should be fed ad lib after peak production. It should be fed where expected intakes of the hens are between 102 g and 108 g per bird per day. Feed intake will be affected by environment, breed, housing and management.

Expected Intakes

102–108 g per bird per day

Composition

| Nutrient | Quantity | Unit | Min/Max |
|--------------|----------|------|---------|
| Protein | 150 | g/kg | Min |
| Fat | 25 | g/kg | Min |
| Fibre | 70 | g/kg | Max |
| Moisture | 120 | g/kg | Max |
| Calcium | 27 | g/kg | Min |
| Calcium | 45 | g/kg | Max |
| Phosphorus | 5 | g/kg | Min |
| Total lysine | 6 | g/kg | Min |

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION Randfontein - +27 11 693 5120
Standerton - +27 17 200 0272
Delmas - +27 13 665 5011
KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403

WESTERN CAPE Paarl - +27 21 807 8700
Ladismith - +27 28 551 1950
EASTERN CAPE Gqeberha - +27 41 402 5000
AFRICA Zambia - +260 967 790 404



More than just feed