

Class: Broiler Starter Feed

Form: Pellets / Mash / Crumbles

Description

The Classic Broiler range has been specifically designed for medium-sized producers who produce broilers between 6 and 8 weeks of age. The rations in this range, except the post-finisher, include a coccidiostat and a growth enhancer.

Benefits

The Classic feeding programme was formulated to optimise performance for medium-scale enterprises, considering environmental conditions and average-to-low stocking density.

Feeding Recommendations

Feed broilers from day old to 18 days of age. The approximate feed consumption is 800 g per bird. Crumbles are fed to improve early feed intake and bird development.

Expected Intakes

The approximate feed consumption is 800 g per bird.

Composition

Nutrient	Quantity	Unit	Min/Max
Protein	200	g/kg	Min
Fat	25	g/kg	Min
Fibre	50	g/kg	Max
Moisture	120	g/kg	Max
Calcium	8	g/kg	Min
Calcium	12	g/kg	Max
Phosphorus	6	g/kg	Min
Total lysine	12	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION	Randfontein Standerton	- +27 11 693 5120 - +27 17 200 0272	WESTERN CAPE	Paarl Ladismith
KWA-ZULU NATAL	Delmas	- +27 13 665 5011	EASTERN CAPE	Gqeberha
	Pietermaritzburg	- +27 33 387 2403	AFRICA	Zambia



+27 21 807 8700
+27 28 551 1950
+27 41 402 5000

- +260 967 790 404