

Class: Broiler Pre-Starter Feed

Form: Mash / Crumbles

Description

The Select Broiler range has been specially designed for farmers who produce broilers to slaughter at 5 weeks of age. The rations in this range, except the post-finisher, include a coccidiostat and a growth enhancer.

Benefits

The Select programme was formulated to optimise performance for medium- to large-scale enterprises, considering environmental conditions and increased stocking density.

Feeding Recommendations

Feed broilers from day old to 9 days of age. The approximate feed consumption is 200 g per bird. Crumbles are fed to improve early feed intake and bird development.

Expected Intakes

The approximate feed consumption is 200 g per bird.

Composition

Nutrient	Quantity	Unit	Min/Max
Protein	210	g/kg	Min
Fat	25	g/kg	Min
Fibre	50	g/kg	Max
Moisture	120	g/kg	Max
Calcium	8	g/kg	Min
Calcium	12	g/kg	Max
Phosphorus	6	g/kg	Min
Total lysine	13	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

	<i>,</i> 1		,	
CENTRAL REGION	Randfontein	- +27 11 693 5120	WESTERN CAPE	Paarl
	Standerton	- +27 17 200 0272		Ladismith
	Delmas	- +27 13 665 5011	EASTERN CAPE	Gqeberha
KWA-ZULU NATAL	Pietermaritzburg	- +27 33 387 2403	AFRICA	Zambia



+27 21 807 8700
+27 28 551 1950
+27 41 402 5000

- +260 967 790 404