



PRIME BROILER POST-FINISHER

Registration No: V 17810 Act 36 of 1947

Class: Broiler Post-Finisher Feed

Form: Pellets

Description

The Prime Broiler range has been specially designed for small producers with performance as a benchmark, who market birds between 6 and 8 weeks of age. The rations in this range, with the exception of the post-finisher, include a coccidiostat and a growth enhancer.

Benefits

The Prime feeding programme was formulated to optimise performance for a small to medium enterprise, considering environmental conditions and stocking density.

Feeding Recommendations

Feed 5 days prior to sale or slaughter for human consumption.

Expected Intakes

The approximate feed consumption should be 500 g per bird.

Composition

Nutrient	Quantity	Unit	Min/Max
Protein	160	g/kg	Min
Fat	25	g/kg	Min
Fat	70	g/kg	Max
Fibre	60	g/kg	Max
Moisture	120	g/kg	Max
Calcium	6	g/kg	Min
Calcium	12	g/kg	Max
Phosphorus	5	g/kg	Min
Total lysine	9	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION **Randfontein** - +27 11 693 5120
Standerton - +27 17 200 0272
Delmas - +27 13 665 5011
KWA-ZULU NATAL **Pietermaritzburg** - +27 33 387 2403

WESTERN CAPE **Paarl** - +27 21 807 8700
Ladismith - +27 28 551 1950
EASTERN CAPE **Gqeberha** - +27 41 402 5000
AFRICA **Zambia** - +260 967 790 404



More than just feed