

STUD COMPLETE SHEEP FINISHER 14

Registration No: V 24302 Act 36 of 1947

Class: Complete Sheep Feed Form: Pellets

Description

- A complete sheep diet of high-quality sources of protein and fibre.
- Maximum 10.6% of protein derived from NPN.

Benefits

- A well-formulated diet from high-quality raw materials.
- · Drives frame and muscle growth.
- Ideal balance of degradable and by-pass proteins.
- Synchronised energy and protein utilisation in the rumen.
- · Achieve well finished, but not overly fat animals on auction day that are ready to go to work.

Feeding Recommendations

- Start feeding 300 g/sheep/day plus additional roughage.
- · Increase every second day with 200 g/sheep/day for two weeks, until the sheep is on ad-lib feeding.
- · It is recommended that a limited amount of good quality roughage is made available daily to ensure gut health.

Composition

Nutrient	Quantity	Unit	Min/Max
*Protein	140	g/kg	Min
Fat	25	g/kg	Min
Fibre	127	g/kg	Min
Fibre	145	g/kg	Max
Moisture	120	g/kg	Max
Calcium	6	g/kg	Min
Calcium	12	g/kg	Max
Phosphorus	2.5	g/kg	Min
Monensin	125	mg/kg	
Zinc Bacitracin	50	mg/kg	

^{*10.6 %} derived from NPN

This product contains NPN sources - see NPN warning

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION Randfontein

Standerton

KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403

Delmas

- +27 11 693 5120

- +27 17 200 0272 - +27 13 665 5011

WESTERN CAPE EASTERN CAPE

AFRICA

Ladismith Gqeberha Zambia

- +27 21 807 8700 - +27 28 551 1950

- +27 41 402 5000 - +260 967 790 404



Stud Complete Sheep Finisher 14

Registration No: V 24302 Act 36 of 1947

NPN Warning

This feed may contain feed-grade urea / NPN sources and thus must be mixed and fed strictly according to recommendations:

- 1. Vinegar is an effective remedy against NPN (non-protein nitrogen) poisoning. Mix with equal amounts of water. Dose half a bottle per calf or large sheep or 2-4 bottles per head of cattle. (1bottle = 750ml)
- 2. Protect these feeds against rain. NPN is soluble and animals drinking such a solution can be poisoned.
- 3. Do not feed these feeds indiscriminately with other feed containing NPN. Consult an animal scientist.
- 4. Mix concentrates thoroughly with the prescribed ingredients.
- 5. This is a supplement and not a feed. Sufficient grazing and/or roughage must be available at all times.
- 6. Ensure that feed troughs are always full and give animals free access to grazing.
- 7. A salt-phosphate lick must be fed for a minimum of seven days prior to feeding any animal a NPN containing lick.

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION Randfontein

ndfontein - +27 11 693 5120

Standerton - +27 17 200 0272

Delmas - +27 13 665 5011

KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403

WESTERN CAPE

EASTERN CAPE AFRICA Paari Ladismith Gqeberha

Zambia

- +27 28 551 1950 - +27 41 402 5000

- +260 967 790 404

- +27 21 807 8700

