

PRIME BROILER FINISHER

Registration No: V 17769 Act 36 of 1947

Class: Broiler Finisher Feed Form: Pellets

Description

The Prime Broiler range has been specially designed for small producers with performance as a benchmark, who market birds between 6 and 8 weeks of age. The rations in this range, except the post-finisher, include a coccidiostat and a growth enhancer.

Benefits

The Prime feeding programme was formulated to optimise performance for a small to medium enterprise, considering environmental conditions and stocking density.

Feeding Recommendations

The finisher ration should be fed to broilers from 29–32 days of age. The approximate feed consumption should be 950 g per bird. If birds are marketed at an older age (beyond 35 days), the amount of finisher fed should be adjusted to allow for a 5-day withdrawal feed to be used, such as a post-finisher.

Expected Intakes

The approximate feed consumption should be 950 g per bird.

Composition

Nutrient	Quantity	Unit	Min/Max
Protein	160	g/kg	Min
Fat	25	g/kg	Min
Fibre	50	g/kg	Max
Moisture	120	g/kg	Max
Calcium	6	g/kg	Min
Calcium	12	g/kg	Max
Phosphorus	5	g/kg	Min
Total lysine	9	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION Randfontein

ndfontein - +27 11 693 5120

Standerton - +27 17 200 0272 **Delmas** - +27 13 665 5011

KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403

WESTERN CAPE
EASTERN CAPE

AFRICA

Ladismith Gqeberha Zambia

- +27 21 807 8700 mith - +27 28 551 1950

- +27 41 402 5000 - +260 967 790 404

